

SAFETY DATA SHEET

Sharomix 705



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Sharomix 705

Other means of identification : Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cosmetics, personal care products

1.3 Details of the supplier of the safety data sheet

Sharon Laboratories Ltd. Industrial Zone Ad-Halom P.O. Box 832, Ashdod, ISRAEL Phone: +972-8-8549800 Fax: +972-8-8679636 : info@sharon-labs.co.il

Representative

La Despensa del Jabón SC Av de Rioja nº1, bj 3 Castañares de Rioja 26240- España

Phone: +34 944 657 841

Email: tienda@ladespensadeljabon.com Internet: www.ladespensadeljabon.com

1.4 Emergency telephone number

Supplier

Telephone number : +34 915 620 420

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Acute Tox. 4, H302 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms







Signal word : Danger

Sharomix 705

SECTION 2: Hazards identification

Hazard statements : H302 + H332 - Harmful if swallowed or if inhaled.

H318 - Causes serious eye damage.

H315 - Causes skin irritation.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Prevention : P280 - Wear protective gloves. Wear eye or face protection.

P260 - Do not breathe vapour.

Response : P301 + P310 + P331 - IF SWALLOWED: Immediately call a POISON CENTER or

physician. Do NOT induce vomiting.

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or physician.

Storage : Not applicable.

Disposal : Not applicable.

Hazardous ingredients : benzyl alcohol benzoic acid

Supplemental label elements

: Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

2.3 Other hazards

Other hazards which do : not result in classification

: None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Product/ingredient	Product/ingredient name		Identifiers		Regulation (EC) No. 1272/2008 [CLP]	Type
penzyl alcohol		REACH #: 01-21194926 EC: 202-859-9 CAS: 100-51-6 Index: 603-057-00-5	30-38	79.3 - 82.7	Acute Tox. 4, H302 Acute Tox. 4, H332 Eye Irrit. 2, H319	[1]
3-acetyl-6-methyl-2H-p 2,4(3H)-dione		EC: 208-293-9 CAS: 520-45-6 Index: 607-163-00-2		8.3 - 9.7	Acute Tox. 4, H302	[1]
benzoic acid		REACH #: 01-21194555 EC: 200-618-2 CAS: 65-85-0 Index: 607-705-00-8	536-33	5.4 - 6.6	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 1, H372 (lungs) (inhalation)	[1]
hexa-2,4-dienoic acid		EC: 203-768-7 CAS: 110-44-1		3.6 - 4.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	[1]
					See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

SECTION 3: Composition/information on ingredients

- Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Inhalation

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation: Harmful if inhaled.Skin contact: Causes skin irritation.Ingestion: Harmful if swallowed.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

Sharomix 705

SECTION 4: First aid measures

Skin contact : Adverse symptoms may include the following:

> pain or irritation redness

blistering may occur

Ingestion : Adverse symptoms may include the following:

stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

5.2 Special hazards arising from the substance or mixture

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

: Use dry chemical, CO₂, alcohol-resistant foam or water spray (fog). Use an

extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: Do not use water iet.

Hazards from the

substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Sharomix 705

SECTION 6: Accidental release measures

Large spill

Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Section 7. Handling and storage: The information in this section contains generic advice and guidance.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

SECTION 8: Exposure controls/personal protection

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Recommended: Combination filtering device (DIN EN 14387), Filter type: A-P2.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid.

Colour : Clear. Yellow.

Odour : Characteristic.

Odour threshold : Not available.

pH : Not available.

Melting point/freezing point : Not available.

Initial boiling point and boiling range : Not available.

Página 6 de 6

Sharomix 705

SECTION 9: Physical and chemical properties

Flash point Not available. **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or Not available.

explosive limits Vapour pressure : Not available. Vapour density : Not available. Relative density Not available. : Not available. Solubility(ies) : Not available. Solubility in water

Partition coefficient: n-octanol/

: Not available.

Auto-ignition temperature : Not available. **Decomposition temperature** : Not available. : Not available. **Viscosity Explosive properties** : Not available. **Oxidising properties** : Not available.

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity : Under normal conditions of storage and use, hazardous reactions will not occur.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

Due to gaseous decomposition products, overpressure can occur in tightly sealed

containers. Keep away from heat, sparks and flame.

10.5 Incompatible materials : Reactive or incompatible with the following materials: Oxidizing materials, alkalis,

acids.

10.6 Hazardous decomposition products : Decomposition products may include the following materials: carbon dioxide, carbon

monoxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	Remarks
penzyl alcohol	LC50 Inhalation Dusts and mists	Rat	>4178 mg/m³	4 hours	-
	LD50 Oral	Rat - Male	1620 mg/kg	-	-
3-acetyl-6-methyl-2H- pyran-2,4(3H)-dione	LD50 Dermal	Rabbit	>3000 mg/kg	-	-
	LD50 Oral	Rat	500 mg/kg	-	-
benzoic acid	LC50 Inhalation Dusts	Rat	>12.2 mg/l	4 hours	Mortality: None.

Date of issue/Date of revision : 15/05/2018 Date of pain : 18/04/2016 Version : 2.1 7
La Despensa del Jabón - Materias primas para jabón y cosmética - © 2021 Avenida de Rioja nº1, bj 3 - 26240 Castañares de Rioja - España

SECTION 11: Toxicological information

	and mists				
	LD50 Dermal	Rabbit	>2000 mg/kg	-	Mortality: None.
	LD50 Oral [OECD 401]	Mouse - Male, Female	2250 mg/kg	-	-
	LD50 Oral [OECD 401]	Rat - Male, Female	2565 mg/kg	-	-
hexa-2,4-dienoic acid	LD50 Dermal [OECD 402]	Rat - Male, Female	>2000 mg/kg		-
	LD50 Oral	Rat - Male, Female	10500 mg/kg	-	-

Conclusion/Summary

: Harmful if swallowed or if inhaled.

Acute toxicity estimates

Route		ATE value
Ø ral	1467.7 mg/kg	
Inhalation (vapours)	13.75 mg/l	

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation	Remarks
enzyl alcohol	Eyes - Mild irritant [OECD 405]	Rabbit	-	-	-	-
	Skin - Non-irritating to the skin. [OECD 404]	Rabbit	-	-	-	-
3-acetyl-6-methyl-2H-pyran-2,4(3H)-dione	Skin - Non-irritating to the skin. [OECD 404]	Rabbit	-	3 hours	48 hours	-
	Eyes - Non-irritating to the eyes. [OECD 438]	Mammal - species unspecified		0.17 minutes	240 minutes	-
benzoic acid	Skin - Moderate irritant	Human	-	-	-	-
	Eyes - Severe irritant	Rabbit	-	-	-	-
hexa-2,4-dienoic acid	Skin - Non-irritating to the skin. [OECD 404]	Rabbit	0	-	-	-
	Eyes - Irritant [OECD 405]	Rabbit	-	24 hours	14 days	-
	Skin - Severe irritant	Man	-	1 hours 150 milligrams	-	-
	Skin - Severe irritant	Rabbit	-	1 milligrams	-	-

Conclusion/Summary

Skin : Causes skin irritation.

Eyes : Causes serious eye damage.

Sensitisation

SECTION 11: Toxicological information

Product/ingredient name	Route of exposure	Species	Result	Remarks
enzyl alcohol	skin	Guinea pig	Not sensitizing	-
3-acetyl-6-methyl-2H- pyran-2,4(3H)-dione	skin	Mouse	Not sensitizing [OECD 429]	-
benzoic acid	skin	Mouse	Not sensitizing	-
hexa-2,4-dienoic acid	skin	Guinea pig	Not sensitizing	-

Conclusion/Summary

Skin : Based on available data, the classification criteria are not met.

Mutagenicity

Product/ingredient name	Test	Experiment	Result	Remarks
penzyl alcohol	OECD 476	Experiment: In vitro Subject: Mammalian- Animal Cell: Somatic	Positive	-
	OECD 474	Experiment: In vivo Subject: Mammalian- Animal	Negative	-
3-acetyl-6-methyl-2H- pyran-2,4(3H)-dione	-	Experiment: In vitro Subject: Bacteria	Negative	-
	OECD 490	Experiment: In vitro Subject: Mammalian- Animal Cell: Somatic	Negative	-
	OECD 473	Experiment: In vitro Subject: Mammalian- Human Cell: Somatic	Negative	-
	-	Experiment: In vivo Subject: Mammalian- Animal Cell: Somatic	Negative	test substance: CAS no. 4418-26-2. (read- across)
benzoic acid	OECD 471	Experiment: In vitro Subject: Bacteria	Negative	-
	OECD 487	Experiment: In vitro Subject: Mammalian- Animal Cell: Somatic	Negative	-
	OECD 475	Experiment: In vivo Subject: Mammalian- Animal Cell: Somatic	Negative	test substance: CAS no. 532-32-1. (read-across)
hexa-2,4-dienoic acid	-	Experiment: In vitro Subject: Mammalian- Human Cell: Somatic	Negative	-
	OECD 474	Experiment: In vivo Subject: Mammalian-	Negative	-

Sharomix 705

SECTION 11: Toxicological information

Animal Cell: Somatic

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Carcinogenicity

Product/ingredient name	Result	Species	Dose	Exposure	Remarks
enzoic acid	Negative - Oral - TC	Rat - Male, Female	>1000 mg/ kg NOAEL	24 months; 7 days per week	test substance: CAS no. 532-32-1. (read- across)
hexa-2,4-dienoic acid	Negative - Oral - TC	Rat - Male, Female	750 mg/kg NOAEL	2 years	

Conclusion/Summary

: Not available.

Reproductive toxicity

Product/ingredient name	Maternal toxicity	Fertility	Developmental toxin	Species	Dose	Exposure	Remarks
penzyl alcohol	Positive	-	-	Mouse - Female	Oral: 550 to 750 mg/kg	8 days; 7 days per week	
3-acetyl-6-methyl-2H- pyran-2,4(3H)-dione	Negative	Negative	-	Rat	Oral: 50 mg/kg NOAEL	12 days; 7 days per week	
benzoic acid	Negative	Negative	-	Rat	Oral: 500 mg/kg NOAEL	-	
hexa-2,4-dienoic acid	Negative	Negative	Negative	Rat - Male, Female	Oral: 1000 mg/ kg NOAEL	7 days per week	OECD 416

Conclusion/Summary

Based on available data, the classification criteria are not met.

Teratogenicity

Product/ingredi name	ent	Result	Species	Dose	Exposure	Remarks
penzyl alcohol		Negative - Oral	Mouse - Female	750 mg/kg	8 days; 7 days per week	-
'		Negative - Oral	Mouse - Female	550 mg/kg	8 days; 7 days per week	-
3-acetyl-6-methyl-2 pyran-2,4(3H)-dion		Negative - Oral	Mouse - Female	≥100 mg/kg NOAEL	10 days; 7 days per week	-
benzoic acid		Negative - Oral	Rat - Female	>175 mg/kg NOEL	10 days; 7 days per week	test substance: CAS no. 532-32-1. (read- across)
hexa-2,4-dienoic ad	cid	Negative - Oral [OECD 414]	Rabbit - Female	300 mg/kg NOAEL	23 days; 7 days per week	-

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Sharomix 705

SECTION 11: Toxicological information

Product/ingredient name	Category	Route of exposure	Target organs
hexa-2,4-dienoic acid	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
benzoic acid	Category 1	Inhalation	lungs

Aspiration hazard

Not available.

Information on likely routes

of exposure

: Not available.

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation: Harmful if inhaled.Skin contact: Causes skin irritation.Ingestion: Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

watering redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

pain or irritation redness

blistering may occur

Ingestion : Adverse symptoms may include the following:

stomach pains

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure	Remarks
benzyl alcohol	Sub-chronic NOAEL Oral	Rat - Male, Female	400 mg/kg	13 weeks; 5 days per week	-
	Sub-chronic NOAEL Oral	Mouse - Male, Female	200 mg/kg	13 weeks; 7 days per week	-
	Sub-acute NOAEL Inhalation Dusts and	Rat - Male, Female	1072 mg/m ³	4 weeks; 6 hours per	-

SECTION 11: Toxicological information

3-acetyl-6-methyl-2H- pyran-2,4(3H)-dione	mists Sub-chronic NOAEL Oral	Rat - Male	100 mg/kg	day 34 days	-
benzoic acid	Chronic NOAEL Oral	Rat - Male, Female	1000 mg/kg	24 months; 7 days per week	-
	Sub-acute NOAEL Dermal	Rabbit - Male, Female	>2500 mg/ kg	3 weeks; 7 days per week	-
	Sub-acute NOAEL Inhalation Dusts and	Rat - Male, Female	250 mg/m³	4 weeks; 6 hours per	-
hexa-2,4-dienoic acid	mists [OECD 412] Sub-chronic NOAEL Oral [OECD 407]	Rat - Male, Female	8600 to 9200 mg/kg	day 28 days	-

Conclusion/Summary

: Based on available data, the classification criteria are not met.

General

: May cause damage to organs through prolonged or repeated exposure.

Carcinogenicity

Mutagenicity

: No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.No known significant effects or critical hazards.

Developmental effects

: No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure	Remarks
enzyl alcohol	Acute EC50 230 mg/l [OECD 202]	Daphnia - Daphnia magna	48 hours	-
	Acute IC50 700 mg/l [OECD 201]	Algae - Pseudokirchneriella subcapitata	72 hours	-
	Acute LC50 460 mg/l	Fish - Pimephales promelas	96 hours	-
	Chronic NOEC 51 mg/l [OECD 211]	Daphnia - Daphnia magna	21 days	-
3-acetyl-6-methyl-2H- pyran-2,4(3H)-dione	NOEC 38 mg/l Fresh water [OECD 301F]	Micro-organism	14 days	-
	Acute EC50 32.1 mg/l Fresh water [OECD 201]	Algae - Pseudokirchneriella subcapitata	72 hours	-
	Acute EC50 >100 mg/l Fresh water [OECD 202]	Daphnia - Daphnia magna	48 hours	-
	Chronic EC10 23.9 mg/l Fresh water [OECD 201]	Algae - Pseudokirchneriella subcapitata	72 hours	-
benzoic acid	Acute EC50 >33.1 mg/l	Algae	72 hours	-
	Acute EC50 >100 mg/l Fresh water	Daphnia	48 hours	-
	Acute LC50 44.6 mg/l	Fish 12 de 12	96 hours	-

SECTION 12: Ecological information

	Chronic EC10 3.4 mg/l	Algae	72 hours -
	Chronic NOEC ≥25 mg/l Fresh water	Daphnia	21 days -
	Chronic NOEC >120 mg/l	Fish	28 days -
hexa-2,4-dienoic acid	Acute EC50 24.1 mg/l Fresh water [OECD 201]	Algae - Desmodesmus subspicatus	72 hours -
	Acute EC50 70 mg/l Fresh water [OECD 202]	Daphnia - Daphnia magna	48 hours -
	Acute LC50 75 mg/l Fresh water [OECD 203]	Fish - Oryzias latipes	96 hours -
	Chronic NOEC 6.47 mg/l Fresh water [OECD 201]	Algae - Desmodesmus subspicatus	72 hours -
	Chronic NOEC 50 mg/l Fresh water [OECD 211]	Daphnia - Daphnia magna	21 days -

Conclusion/Summary

: Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
benzyl alcohol	OECD 301 A	95 to 97 % - Readily - 21 days	-	-
	OECD 302 C	92 to 96 % - Inherent - 14 days	-	-
3-acetyl-6-methyl-2H-pyran- 2,4(3H)-dione	OECD 301 F	70 % - Readily - 28 days	-	-
benzoic acid	OECD 311	≥89.5 % - Readily - 35 days	-	-
hexa-2,4-dienoic acid	OECD 301 D	74.9 % - Readily - 28 days	-	-

Conclusion/Summary: There are no data available on the mixture itself.

Product/ingredient	name	Aquatic half-life	Photolysis	Biodegradability
benzyl alcohol		-	-	Readily
3-acetyl-6-methyl-2H 2,4(3H)-dione	l-pyran-	-	-	Readily
benzoic acid		-	-	Readily
hexa-2,4-dienoic acid	d	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
benzyl alcohol	1.05	-	low
3-acetyl-6-methyl-2H-pyran- 2,4(3H)-dione	0.78	-	low
benzoic acid	1.88	-	low
hexa-2,4-dienoic acid	1.33	-	low

Sharomix 705

SECTION 12: Ecological information

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance.

13.1 Waste treatment methods

Product

Methods of disposal

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Hazardous waste

The classification of the product may meet the criteria for a hazardous waste. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Packaging

Methods of disposal Special precautions

- : The generation of waste should be avoided or minimised wherever possible.
- : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

		ADR/RID		ADN	IMDG		IATA
14.1 UN number	1	Not regulated.	Not re	gulated.	Not regulated.		Not regulated.
14.2 UN proper shipping name			-		-		-
14.3 Transport hazard class(es)		-	-	,	-		-
Lab	el						
14.4 Packing group		-	-		-		-
14.5 Environmental hazards		No.	No.		Marine Pollutant:	No	No.

SECTION 14: Transport information

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

: Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

<u>Substances of very high concern</u> None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and

articles

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

International regulations

Chemical Weapon Convention List Schedules J, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia inventory (AICS) : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Europe : All components are listed or exempted.

Japan : Japan inventory (ENCS):

MI components are listed or exempted.

New Zealand : All components are listed or exempted.
Philippines : All components are listed or exempted.

Página 15 de 15

Sharomix 705

SECTION 15: Regulatory information

Republic of Korea : All components are listed or exempted. **Taiwan** : All components are listed or exempted. **Turkey** : All components are listed or exempted.

15.2 Chemical safety assessment

United States

: Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ADN = European Provisions concerning the International Carriage of Dangerous

Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

: All components are listed or exempted.

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by

RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

	Classification		Justification
Acute Tox. 4, H302			Calculation method
Acute Tox. 4, H332			Calculation method
Skin Irrit. 2, H315			Calculation method
Eye Dam. 1, H318			Calculation method
STOT RE 2, H373			Calculation method

Full text of abbreviated H statements

H 302	Ha	armful if swallowed.
H315	Ca	auses skin irritation.
H318	Ca	auses ser <mark>ious eye dama</mark> ge.
H319	Ca	auses serious eye irritation.
H332	Ha	armful if inhaled.
H335	Ma	ay cause respiratory irritation.
H372 (inhalation)		auses damage to organs through prolonged or repeated
	ex	posure if inhaled.
H373	Ma	ay cause damage to organs through prolonged or repeated
	ex	posure.
H319 H332 H335 H372 (inhalation)	Ca Ha Ma Ca ex Ma	auses serious eye irritation. armful if inhaled. ay cause respiratory irritation. auses damage to organs through prolonged or repeated posure if inhaled. ay cause damage to organs through prolonged or repeated

Full text of classifications [CLP/GHS]

SECTION 16: Other information

Acute Tox. 4. H302 Acute Tox. 4, H332 Eye Dam. 1, H318 Eye Irrit. 2, H319 Skin Irrit. 2, H315

STOT RE 1, H372 (inhalation)

STOT RE 2, H373

STOT SE 3. H335

ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (inhalation) - Category 4

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

SKIN CORROSION/IRRITATION - Category 2

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

(inhalation) - Category 1

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

- Category 2

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

(Respiratory tract irritation) - Category 3

Date of printing : 15/05/2018 Date of issue/ Date of : 15/05/2018

revision

Date of previous issue : 18/04/2016

Version 2.1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

